	Application No.	Applicant(s)	
Notice of Allowability	09/805,188	MORIOKA ET AL.	
	Examiner	Art Unit	
	Tu T. Nguyen	2877	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comm GHTS. This application is	in this application. If not included nunication will be mailed in due cours	se. THIS
1. This communication is responsive to 09/13/2004.			
2. 🔀 The allowed claim(s) is/are <u>1-27</u> .			
3. $\boxtimes$ The drawings filed on <u>14 March 2004</u> are accepted by the	Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority ur</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> <li>2.  Certified copies of the priority documents have</li> <li>3.  Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	been received. been received in Applicat	on No. <u>08/535,577</u> .	rom the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to fi ENT of this application.	e a reply complying with the requirer	ments
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give</li> </ol>			CE OF
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") mus  (a) ☐ including changes required by the Notice of Draftspers  1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in to provide the deponsal of the property of the deponsal of the	on's Patent Drawing Reviews S Amendment / Comment (1984(c)) should be written on the header according to 37 Cost of BIOLOGICAL MA	or in the Office action of the drawings in the front (not the back FR 1.121(d). TERIAL must be submitted. Note t	
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF B	OLOGICAL MATERIAL.	
Attachment(s)	5 M A 6	for the Annaharia (DTO 455	<b>-</b> \
<ol> <li>Notice of References Cited (PTO-892)</li> <li>D Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	<u> </u>	nformal Patent Application (PTO-152 Summary (PTO-413),	<b>4)</b>
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No	./Mail Dates Amendment/Comment	
Paper No./Mail Date			
4. Examiner's Comment Regarding Requirement for Deposit		s Statement of Reasons for Allowand	ce
of Biological Material	9. 🔲 Other	<del></del> ·	

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Melvin Kraus on 09/13/2004.

## The application has been amended as follows:

- 1) Claim 1, line 15, change "the processing" to the first processing –
- 2) Claim 6, line 6, change "utilizing a plural" to -- utilizing a detecting apparatus including a plural
  - 3) Claim 6, line 8, change "devices while" to devices and while -
  - 4) Claim 6, line 19, change "the data of" to data of –
- 5) Claim 8, line 6, change "utilizing a plural" to -- utilizing a detecting apparatus including a plural
  - 6) Claim 8, line 8, change "devices while" to devices and while -
- 7) Claim 10, line 6, change "utilizing a plural" to -- utilizing a detecting apparatus including a plural
  - 8) Claim 10, line 8, change "devices while" to devices and while -

Application/Control Number: 09/805,188 Page 3

Art Unit: 2877

9) Claim 15, line 5, change "units and which is" to – units, the at least one detecting unit being –

- 10) Claim 17, line 10, change "unit and receives" to unit and which receives -
- 11) Claim 20, line 5, change "units and which is" to units, the foreign particle detecting unit being –
- 12) Claim 20, lines 6-7, change "line, the foreign particle detecting unit" to line and
  - 13) Claim 20, line 11, change "processing which" to processing unit which -
- 14) Claim 20, line 14, change "processed data" to processed data of the foreign particle detecting processing unit
  - 15) Claim 22, line 7, change "a substrate" to the substrate -
  - 16) Claim 23, line 2, change "defect is" to defects are -
  - 17) Claim 24, line 2, change "defect is" to defects are -

Page 4

Art Unit: 2877

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance:

Prior arts of record do not disclose detecting foreign particle defects on a substrate by a foreign particle detection means having a pitch variable spatial filter to cut a light reflected from a pattern formed on the substrate, a cutting portion of the pitch variable spatial filter being pitch variable according to the pattern, and the foreign particle detection means being attached to at least one processing apparatus which is a component of a semiconductor fabricating system, sending a detected signal from the foreign particle detection means to a foreign particle detecting processing apparatus which is separate from the foreign particle detection means which structurally arranged and functionally operated as claimed in claims 1,4,6,8,10,12,15,17,20,22.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tu T. Nguyen whose telephone number is (571) 272-2424. The examiner can normally be reached on T-F 7:30-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Toatley Jr. can be reached on (571) 272-2800 Ext. 77. The fax

Art Unit: 2877

phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Dinguyen Tu T. Nguyen Primary Examiner

Art Unit 2877

09/18/2004